

DIMENSIONS FOR OVERALL HEIGHT AND LENGTH ARE APPROXIMATE

OVERALL HEIGHT = 106.5"

OVERALL WIDTH WITH RUB

RAILS & FENDERETTES = 98"

WHELEN 700
CLEAR HALOGEN

WHELEN 900
RED SUPER LED

VELVAC 2020
HEATED/REMOTE
MIRRORS

FLASHING HEADLIGHTS W/
DAYTIME RUNNING LIGHTS

WHELEN 700 SERIES
RED SUPER LED

CAST PRODUCTS
SAD/SAP 4316
SIREN SPEAKERS

THIS DRAWING IS FOR REPRESENTATIONAL PURPOSES ONLY. DETAILS ARE CONCEPTUAL AND ARE SUBJECT TO CHANGE DURING DESIGN AND CONSTRUCTION
DIMENSIONS ARE APPROXIMATE UNLESS NOTED OTHERWISE TO MEET A SPECIFIC CUSTOMER NEED.



2012 FRONT EXTERIOR VIEW
CHIEF XL-III/CHEVY G-4500 CHASSIS

1:17

DATE:	05 JULY 11
DWG.	GLF
REV.	NR

DRAWING NO.
XLG4500-1

DIMENSIONS FOR OVERALL HEIGHT AND LENGTH ARE APPROXIMATE

OVERALL HEIGHT = 106.5"

OVERALL WIDTH WITH RUB

RAILS & FENDERETTES = 98"

FLOOR HEIGHT = 33"

(1) WHELEN 900 AMBER SUPER LED

(2) WHELEN 900 CLEAR HALOGEN LOAD LIGHTS

(2) WHELEN 900
RED SUPER LED

CAST PRODUCTS
DOOR GRABBERS

LED LICENSE
PLATE LIGHT

MUD FLAPS

COT PROTECTOR
ON STEP EDGE

ONE (1) EACH SIDE
WHELEN
600 LED BRAKE/TAIL,
600 LED TURN
600 HALOGEN BACK-UP

INDEPENDENT BUMPER WITH
FLIP-UP CENTER STEP AND
TOW HOOKS

THIS DRAWING IS FOR REPRESENTATIONAL PURPOSES ONLY. DETAILS ARE CONCEPTUAL AND ARE SUBJECT TO CHANGE DURING DESIGN AND CONSTRUCTION
DIMENSIONS ARE APPROXIMATE UNLESS NOTED OTHERWISE TO MEET A SPECIFIC CUSTOMER NEED.



2012 REAR EXTERIOR VIEW
CHIEF XL-III/CHEVY G-4500 CHASSIS

DATE:
05 JULY 11
DWG. GLF REV. NR


DRAWING NO.
XLG4500-2

DIMENSIONS FOR OVERALL HEIGHT AND LENGTH ARE APPROXIMATE

OVERALL HEIGHT = 106.5"

OVERALL LENGTH = 279"

MODULE LENGTH = 169"



COMPARTMENT

O.S.S #1

CLEAR OPENING: 76.75h x 18.25w
 INSIDE DIM'S.: 77.75h x 24.25w x 20.75d

O.S.S #2

CLEAR OPENING: 35.50h x 33.25w
 INSIDE DIM'S.: 38.75h x 37.75w x 20.75d
 ONE (1) ADJUSTABLE SHELF

O.S.S #3

CLEAR OPENING: 58.50h x 30.75w
 INSIDE DIM'S.: 60.25h x 34.75w x 20.75d
 INSIDE/OUTSIDE ACCESS
 ONE (1) ADJUSTABLE SHELF


THIS DRAWING IS FOR REPRESENTATIONAL PURPOSES ONLY. DETAILS ARE CONCEPTUAL AND ARE SUBJECT TO CHANGE DURING DESIGN AND CONSTRUCTION
 DIMENSIONS ARE APPROXIMATE UNLESS NOTED OTHERWISE TO MEET A SPECIFIC CUSTOMER NEED.



2012 STREETSIDE EXTERIOR VIEW
 CHIEF XL-III/CHEVY G-4500 CHASSIS

DATE:	05 JULY 11		DRAWING NO.
DWG.	GLF	REV.	NR
1:28	XLG4500-3		

DIMENSIONS FOR OVERALL HEIGHT AND LENGTH ARE APPROXIMATE
 OVERALL HEIGHT = 106.5"
 OVERALL LENGTH = 279"
 MODULE LENGTH = 169"



COMPARTMENT
O.S.S #4

CLEAR OPENING: 76.75h x 24.75w
 INSIDE DIM'S. 4A: 77.75h x 15.00w x 20.75d
 BACKBOARD/SCOOP STORAGE

INSIDE DIM'S. 4B: 77.75h x 13.50w x 12.00d
 OXYGEN CYLINDER STORAGE

O.S.S #5


CLEAR OPENING: 46.75h x 17.25w
 INSIDE DIM'S. 5: SEE PARTITION INTERIOR VIEW
 INSIDE/OUTSIDE STORAGE WITH TWO (2) ADJUSTABLE SHELVES

THIS DRAWING IS FOR REPRESENTATIONAL PURPOSES ONLY. DETAILS ARE CONCEPTUAL AND ARE SUBJECT TO CHANGE DURING DESIGN AND CONSTRUCTION
 DIMENSIONS ARE APPROXIMATE UNLESS NOTED OTHERWISE TO MEET A SPECIFIC CUSTOMER NEED.



2012 CURBSIDE EXTERIOR VIEW
 CHIEF XL-III/CHEVY G-4500 CHASSIS

DATE:		05 JULY 11		DRAWING NO.	
DWG.		REV.		XLG4500-4	
1:28		GLF NR			



COMPARTMENT

- #1 DOOR OPENING: 12.50h x 37.25w
INSIDE DIMS: 14.25h x 39.00w x 17.25d
ONE (1) ADJUSTABLE SHELF
- #2 DOOR OPENING: 7.50h x 27.75w
INSIDE DIMS: 9.25h x 29.50w x 17.25d
- #3 DOOR OPENING: 14.75h x 14.50w
INSIDE DIMS: 18.00h x 16.25w x 17.25d
ONE (1) ADJUSTABLE SHELF

- #4 DOOR OPENING: 26.25h x 28.25w
INSIDE DIMS: O.S.S. #3
RECESSED .375" ACRYLIC DOORS WITH FULL LENGTH HANDLES
TWO (2) LOCKING LEVER LATCHES
- #5 DOOR OPENING: 12.00h x 17.00w
INSIDE DIMS: 14.00h x 21.25w x 16.25d
ONE (1) ADJUSTABLE SHELF

THIS DRAWING IS FOR REPRESENTATIONAL PURPOSES ONLY. DETAILS ARE CONCEPTUAL AND ARE SUBJECT TO CHANGE DURING DESIGN AND CONSTRUCTION DIMENSIONS ARE APPROXIMATE UNLESS NOTED OTHERWISE TO MEET A SPECIFIC CUSTOMER NEED.




2012 STREETSIDE INTERIOR VIEW
CHIEF XL-III

1:22

DATE:	05 JULY 11	
DWG.	GLF	REV. NR

DRAWING NO.
XLG4500-5



COMPARTMENT

#1 DOOR OPENING: 48.00h x 7.25w

INSIDE DIMS: 50.00h x 13.25w x 7.50d

RECESSED .375" ACRYLIC DOOR

ONE (1) LOCKING LEVER LATCH

FOUR (4) ADJUSTABLE SHELVES


#2 INSIDE DIM'S: 14.25h x 71.75w x 21.00d

THIS DRAWING IS FOR REPRESENTATIONAL PURPOSES ONLY. DETAILS ARE CONCEPTUAL AND ARE SUBJECT TO CHANGE DURING DESIGN AND CONSTRUCTION DIMENSIONS ARE APPROXIMATE UNLESS NOTED OTHERWISE TO MEET A SPECIFIC CUSTOMER NEED.



2012 CURBSIDE INTERIOR VIEW
CHIEF XL-III

DATE: 05 JULY 11		DRAWING NO.	
DWG. GLF	REV. NR	XLG4500-6	
1:20			



COMPARTMENT


- #1 DOOR OPENING: 46.00h x 27.75w
- INSIDE DIMS: 50.00h x 31.50w x 20.75d
- RECESSED .375" ACRYLIC DOORS WITH FULL LENGTH HANDLES
- TWO (2) LOCKING LEVER LATCHES
- TWO (2) ADJUSTABLE SHELVES

THIS DRAWING IS FOR REPRESENTATIONAL PURPOSES ONLY. DETAILS ARE CONCEPTUAL AND ARE SUBJECT TO CHANGE DURING DESIGN AND CONSTRUCTION
 DIMENSIONS ARE APPROXIMATE UNLESS NOTED OTHERWISE TO MEET A SPECIFIC CUSTOMER NEED.



2012 PARTITION INTERIOR VIEW
 CHIEF XL-III

DATE: 05 JULY 11		DRAWING NO. XLG4500-7
DWG. GLF	REV. NR	



OXYGEN ACCESS

RECESSED SHARPS/
TRASH

STAINLESS STEEL

STAINLESS STEEL

RED/WHITE REFLECTIVE STRIP
ON INSIDE OF EACH DOOR


THIS DRAWING IS FOR REPRESENTATIONAL PURPOSES ONLY. DETAILS ARE CONCEPTUAL AND ARE SUBJECT TO CHANGE DURING DESIGN AND CONSTRUCTION DIMENSIONS ARE APPROXIMATE UNLESS NOTED OTHERWISE TO MEET A SPECIFIC CUSTOMER NEED.



2012 REAR INTERIOR VIEW
CHIEF XL-III

DATE:		DRAWING NO.	
05 JULY 11		XLG4500-8	
DWG.	REV.		
GLF	NR		

1:12



* TWO (2) ANTENNA BASES LOCATED OUTBOARD OF DOME LIGHTS WITH COAX SERVICE LOOP

STRYKER CENTER MOUNT COT HARDWARE

MODULE WIDTH = 96"
 MODULE LENGTH = 169"
 MODULE HEAD ROOM = 72"

THIS DRAWING IS FOR REPRESENTATIONAL PURPOSES ONLY. DETAILS ARE CONCEPTUAL AND ARE SUBJECT TO CHANGE DURING DESIGN AND CONSTRUCTION DIMENSIONS ARE APPROXIMATE UNLESS NOTED OTHERWISE TO MEET A SPECIFIC CUSTOMER NEED.



2012 FLOOR INTERIOR VIEW
 CHIEF XL-III

DATE:		DRAWING NO.	
05 JULY 11		XLG4500-9	
DWG.	REV.		
GLF	NR		

1:22