

DIMENSIONS FOR OVERALL HEIGHT AND LENGTH ARE APPROXIMATE  
 OVERALL HEIGHT = 102.5"  
 OVERALL WIDTH WITH RUB  
 RAILS & FENDERETTES = 95"

WHELEN 4500 SERIES FRONT LIGHT BAR  
 (3) 700 SERIES HALOGEN FLASHERS; (4) ROTATORS  
 RH / RR / RR / CH / RR / RR / RH



VELVAC 2020  
 MANUAL DELUXE MIRRORS  
 BLACK FINISH

FLASHING HEADLIGHTS W/  
 DAYTIME RUNNING LIGHTS

WHELEN 700 SERIES  
 RED HALOGEN LIGHTS

CAST PRODUCTS  
 SAD/SAP 4316  
 SIREN SPEAKERS

THIS DRAWING IS FOR REPRESENTATIONAL PURPOSES ONLY. DETAILS ARE CONCEPTUAL AND ARE SUBJECT TO CHANGE DURING DESIGN AND CONSTRUCTION  
 DIMENSIONS ARE APPROXIMATE UNLESS NOTED OTHERWISE TO MEET A SPECIFIC CUSTOMER NEED.



2012 FRONT EXTERIOR VIEW  
 EXPRESS-III/G-3500

1:16

DATE: 24 JUNE 11	
DWG. GLF	REV. NR

DRAWING NO. EXG3500-1
--------------------------

DIMENSIONS FOR OVERALL HEIGHT AND LENGTH ARE APPROXIMATE

OVERALL HEIGHT = 102.5"

OVERALL WIDTH WITH RUB

RAILS & FENDERETTES = 95"

FLOOR HEIGHT = 32.5"

WHELEN 4500 SERIES REAR LIGHT BAR

(3) 700 SERIES HALOGEN FLASHERS; (4) ROTATORS; (2) 700 HALOGEN LOAD LIGHTS

RH / RR / RR / LOAD / AH / LOAD / RR / RR / RH

CAST PRODUCTS  
DOOR GRABBERS

EXHAUST VENT

LED LICENSE  
PLATE LIGHT

ONE (1) EACH SIDE  
WHELEN  
600 INCANDESCENT BRAKE/TAIL,  
600 INCANDESCENT TURN  
600 HALOGEN BACK-UP

MUD FLAPS

COT PROTECTOR  
ON STEP EDGE

INDEPENDENT BUMPER WITH  
FLIP-UP CENTER STEP

THIS DRAWING IS FOR REPRESENTATIONAL PURPOSES ONLY. DETAILS ARE CONCEPTUAL AND ARE SUBJECT TO CHANGE DURING DESIGN AND CONSTRUCTION  
DIMENSIONS ARE APPROXIMATE UNLESS NOTED OTHERWISE TO MEET A SPECIFIC CUSTOMER NEED.



2012 REAR EXTERIOR VIEW  
EXPRESS-III

DATE:	24 JUNE 11		DRAWING NO.
DWG.	GLF	REV.	NR
1:16			EXG3500-2

DIMENSIONS FOR OVERALL HEIGHT AND LENGTH ARE APPROXIMATE

OVERALL HEIGHT = 102.5"

OVERALL LENGTH = 254"


MODULE LENGTH = 144"

WHELEN 700 RED HALOGEN W/FLANGE INTERSECTION LIGHT

20 AMP SHORELINE INLET

WHELEN 900 RED HALOGEN WARNING LIGHTS

WHELEN 900 8-32 CLEAR SCENE LIGHTS



COMPARTMENT

O.S.S #1

CLEAR OPENING: 73.25h x 16.00w  
INSIDE DIMS: 75.00h x 22.75w x 18.50d  
BACKBOARD/SCOOP STORAGE

O.S.S #2

CLEAR OPENING: 37.25h x 22.00w  
INSIDE DIM'S.: 42.50h x 28.50w x 18.50d

THIS DRAWING IS FOR REPRESENTATIONAL PURPOSES ONLY. DETAILS ARE CONCEPTUAL AND ARE SUBJECT TO CHANGE DURING DESIGN AND CONSTRUCTION  
DIMENSIONS ARE APPROXIMATE UNLESS NOTED OTHERWISE TO MEET A SPECIFIC CUSTOMER NEED.




2012 STREETSIDE EXTERIOR VIEW  
EXPRESS-III/G-3500

1:24

DATE:  
24 JUNE 11  
DWG. GLF  
REV. NR

DRAWING NO.  
EXG3500-3

DIMENSIONS FOR OVERALL HEIGHT AND LENGTH ARE APPROXIMATE  
 OVERALL HEIGHT = 102.5"  
 OVERALL LENGTH = 254"  
 MODULE LENGTH = 144"




O.S.S #3  
 CLEAR OPENING: 58.50h x 9.00w  
 INSIDE DIM'S.: 59.25h x 12.00w x 14.50d  
 OXYGEN COMPARTMENT FOR "M" OR "H" CYLINDER

THIS DRAWING IS FOR REPRESENTATIONAL PURPOSES ONLY. DETAILS ARE CONCEPTUAL AND ARE SUBJECT TO CHANGE DURING DESIGN AND CONSTRUCTION  
 DIMENSIONS ARE APPROXIMATE UNLESS NOTED OTHERWISE TO MEET A SPECIFIC CUSTOMER NEED.



2012 CURB EXTERIOR VIEW  
 EXPRESS-III/G-3500

DATE: 24 JUNE 11		DRAWING NO.	
DWG. GLF	REV. NR	EXG3500-4	
1:24			



COMPARTMENT:

#1 DOOR OPENING: 25.50h x 37.50w  
 INSIDE DIMS: 28.00h x 39.50w x 16.25d  
 TWO (2) ADJUSTABLE SHELVES  
 #2 DOOR OPENING: 5.75h x 30.00w  
 INSIDE DIMS: 9.50h x 32.50w x 15.00d

#3 DOOR OPENING: 13.75h x 28.00w  
 INSIDE DIMS: 17.50h x 30.00w x 16.25d

THIS DRAWING IS FOR REPRESENTATIONAL PURPOSES ONLY. DETAILS ARE CONCEPTUAL AND ARE SUBJECT TO CHANGE DURING DESIGN AND CONSTRUCTION DIMENSIONS ARE APPROXIMATE UNLESS NOTED OTHERWISE TO MEET A SPECIFIC CUSTOMER NEED.




2012 STREETSIDE INTERIOR WITH CPR SEAT  
 EXPRESS-III

1:18

DATE:	27 JUNE 11	
DWG.	GLF	REV. NR

DRAWING NO.  
 EXG3500-5



COMPARTMENT  
 #1 INSIDE DIMS: 15.50h x 72.00w x 18.50d


THIS DRAWING IS FOR REPRESENTATIONAL PURPOSES ONLY. DETAILS ARE CONCEPTUAL AND ARE SUBJECT TO CHANGE DURING DESIGN AND CONSTRUCTION DIMENSIONS ARE APPROXIMATE UNLESS NOTED OTHERWISE TO MEET A SPECIFIC CUSTOMER NEED.



2012 CURBSIDE INTERIOR VIEW  
 EXPRESS-III

DATE: 25 JUNE 11		DRAWING NO.	
DWG. GLF	REV. NR	EXG3500-6	

1:18



COMPARTMENT  
 #1/#2 DOOR OPENING: 10.25h x 37.25w  
 INSIDE DIMS: 14.50h x 43.25w x 13.25d  
 PERMANENT DIVIDER(CENTERED)

#3 DOOR OPENING: 45.25h x 20.25w  
 INSIDE DIMS: 50.75h x 24.75w x 13.25d  
 TWO (2) ADJUSTABLE SHELVES

THIS DRAWING IS FOR REPRESENTATIONAL PURPOSES ONLY. DETAILS ARE CONCEPTUAL AND ARE SUBJECT TO CHANGE DURING DESIGN AND CONSTRUCTION DIMENSIONS ARE APPROXIMATE UNLESS NOTED OTHERWISE TO MEET A SPECIFIC CUSTOMER NEED.



2012 PARTITION INTERIOR VIEW  
 EXPRESS-III

1:14

DATE:	25 JUNE 11	
DWG.	GLF	REV. NR

DRAWING NO.	EXG3500-7
-------------	-----------


OXYGEN ACCESS

RECESSED SHARPS/TRASH

STAINLESS STEEL

STAINLESS STEEL

RED/WHITE REFLECTIVE STRIP  
ON INSIDE OF EACH DOOR



THIS DRAWING IS FOR REPRESENTATIONAL PURPOSES ONLY. DETAILS ARE CONCEPTUAL AND ARE SUBJECT TO CHANGE DURING DESIGN AND CONSTRUCTION DIMENSIONS ARE APPROXIMATE UNLESS NOTED OTHERWISE TO MEET A SPECIFIC CUSTOMER NEED.




2012 REAR INTERIOR VIEW  
EXPRESS-III

1:13

DATE:	25 JUNE 11
DWG.	GLF
REV.	NR

DRAWING NO.  
EXG3500-8



\* ONE (1) ANTENNA BASE LOCATED OUTBOARD OF DOME LIGHT WITH COAX SERVICE LOOP

STRYKER CENTER MOUNT COT HARDWARE

HEAD ROOM = 68"  
 OVERALL WIDTH WITH RUB  
 RAILS & FENDERETTES = 95"  
 MODULE LENGTH = 144"

THIS DRAWING IS FOR REPRESENTATIONAL PURPOSES ONLY. DETAILS ARE CONCEPTUAL AND ARE SUBJECT TO CHANGE DURING DESIGN AND CONSTRUCTION DIMENSIONS ARE APPROXIMATE UNLESS NOTED OTHERWISE TO MEET A SPECIFIC CUSTOMER NEED.




2012 FLOOR VIEW  
 EXPRESS-III

1:24

DATE: 25 JUNE 11	
DWG. GLF	REV. NR

DRAWING NO.  
 EXG3500-9



COMPARTMENT:

#1 DOOR OPENING: 25.50h x 37.50w  
 INSIDE DIMS: 28.00h x 39.50w x 16.25d  
 TWO (2) ADJUSTABLE SHELVES  
 #2 DOOR OPENING: 5.75h x 59.50w  
 INSIDE DIMS: 9.50h x 62.00w x 15.00d  
 FIXED CENTER DIVIDER

#3 DOOR OPENING: 13.75h x 28.00w  
 INSIDE DIMS: 17.50h x 30.00w x 16.25d  
 #4 DOOR OPENING: 13.75h x 23.50w  
 INSIDE DIMS: 17.50h x 25.50w x 16.25d

THIS DRAWING IS FOR REPRESENTATIONAL PURPOSES ONLY. DETAILS ARE CONCEPTUAL AND ARE SUBJECT TO CHANGE DURING DESIGN AND CONSTRUCTION DIMENSIONS ARE APPROXIMATE UNLESS NOTED OTHERWISE TO MEET A SPECIFIC CUSTOMER NEED.




2012 STREETSIDE INTERIOR WITHOUT CPR SEAT  
 EXPRESS-III

1:18

DATE: 27 JUNE 11	
DWG. GLF	REV. NR

DRAWING NO. EXG3500-10
---------------------------



COMPARTMENT:

#1 DOOR OPENING: 25.50h x 37.50w  
 INSIDE DIMS: 28.00h x 39.50w x 16.25d  
 TWO (2) ADJUSTABLE SHELVES

#2 DOOR OPENING: 5.75h x 32.75w  
 INSIDE DIMS: 9.50h x 35.25w x 15.00d

#3 DOOR OPENING: 13.75h x 28.00w  
 INSIDE DIMS: 17.50h x 30.00w x 16.25d

#4 DOOR OPENING: 13.75h x 23.50w  
 INSIDE DIMS: 17.50h x 25.50w x 16.25d

#5 DOOR OPENING: 25.50h x 23.50w  
 INSIDE DIMS: 28.00h x 25.50w x 16.25d  
 TWO (2) ADJUSTABLE SHELVES

THIS DRAWING IS FOR REPRESENTATIONAL PURPOSES ONLY. DETAILS ARE CONCEPTUAL AND ARE SUBJECT TO CHANGE DURING DESIGN AND CONSTRUCTION DIMENSIONS ARE APPROXIMATE UNLESS NOTED OTHERWISE TO MEET A SPECIFIC CUSTOMER NEED.



2012 STREETSIDE INTERIOR WITH FULL CABINETS  
 EXPRESS-III

1:18

DATE: 27 JUNE 11	
DWG. GLF	REV. NR

DRAWING NO. EXG3500-11
---------------------------

DIMENSIONS FOR OVERALL HEIGHT AND LENGTH ARE APPROXIMATE

OVERALL HEIGHT = 102.5"

OVERALL LENGTH = 254"


MODULE LENGTH = 144"

WHELEN 700 RED HALOGEN W/FLANGE INTERSECTION LIGHT

20 AMP SHORELINE INLET

WHELEN 900 RED HALOGEN WARNING LIGHTS

WHELEN 900 8-32 CLEAR SCENE LIGHTS



DIAMOND PLATE RUNNING BOARD WITH GRIP STRUT INSERT

DIESEL TANK FILL

DEF TANK FILL

COMPARTMENT  
O.S.S #1

CLEAR OPENING: 73.25h x 16.00w  
INSIDE DIMS: 75.00h x 22.75w x 18.50d  
BACKBOARD/SCOOP STORAGE

O.S.S #1A

CLEAR OPENING: 37.25h x 19.00w  
INSIDE DIM'S.: 42.50h x 24.00w x 18.50d

O.S.S #2

CLEAR OPENING: 37.25h x 22.00w  
INSIDE DIM'S.: 42.50h x 28.50w x 18.50d

THIS DRAWING IS FOR REPRESENTATIONAL PURPOSES ONLY. DETAILS ARE CONCEPTUAL AND ARE SUBJECT TO CHANGE DURING DESIGN AND CONSTRUCTION  
DIMENSIONS ARE APPROXIMATE UNLESS NOTED OTHERWISE TO MEET A SPECIFIC CUSTOMER NEED.




2012 STREETSIDE VIEW WITH OPTIONAL #1A COMPARTMENT  
EXPRESS-III/G-3500

DATE:	24 JUNE 11
DWG.	GLF
REV.	NR

DRAWING NO.	EXG3500-12
-------------	------------

1:24



COMPARTMENT:

- #1 DOOR OPENING: 25.50h x 37.50w  
INSIDE DIMS: 28.00h x 39.50w x 16.25d  
TWO (2) ADJUSTABLE SHELVES
- #2 DOOR OPENING: 5.75h x 30.00w  
INSIDE DIMS: 9.50h x 32.50w x 15.00d

- #3 DOOR OPENING: 13.75h x 6.75w  
INSIDE DIMS: 15.50h x 8.50w x 16.25d  
HINGED ACRYLIC DOOR WITH FLUSH PULL LATCH

NOTE: CABINET #3 CHANGE ALSO APPLIES TO #10, #11  
CABINET LAYOUTS IN PLACE OF CPR SEAT

THIS DRAWING IS FOR REPRESENTATIONAL PURPOSES ONLY. DETAILS ARE CONCEPTUAL AND ARE SUBJECT TO CHANGE DURING DESIGN AND CONSTRUCTION DIMENSIONS ARE APPROXIMATE UNLESS NOTED OTHERWISE TO MEET A SPECIFIC CUSTOMER NEED.



2012 STREETSIDE INTERIOR VIEW SHOWING #3  
CABINET CHANGE WHEN ADDING OUTSIDE STORAGE #1A

1:18

DATE: 27 JUNE 11	
DWG. GLF	REV. NR

DRAWING NO. EXG3500-13
---------------------------