

DIMENSIONS FOR OVERALL HEIGHT AND LENGTH ARE APPROXIMATE


OVERALL HEIGHT = 112"

OVERALL WIDTH WITH RUB

RAILS & FENDERETTES = 98"

WHELEN 700
CLEAR HALOGEN

WHELEN 900
RED SUPER LED



WHELEN 700
RED SUPER LED
GRILLE LIGHTS
IN CPI HOUSINGS

FLASHING HEADLIGHTS W/
DAYTIME RUNNING LIGHTS

(2) CAST PRODUCTS
SIREN SPEAKERS
RECESSED INTO BUMPER

RECESSED TOW HOOKS

THIS DRAWING IS FOR REPRESENTATIONAL PURPOSES ONLY. DETAILS ARE CONCEPTUAL AND ARE SUBJECT TO CHANGE DURING DESIGN AND CONSTRUCTION
DIMENSIONS ARE APPROXIMATE UNLESS NOTED OTHERWISE TO MEET A SPECIFIC CUSTOMER NEED.



2012 FRONT EXTERIOR VIEW
SUPER CHIEF-1/4300LP CHASSIS

1:18

DATE:	07 JULY 11
DWG.:	GLF
REV.:	NR

DRAWING NO.
SC4300-1

DIMENSIONS FOR OVERALL HEIGHT AND LENGTH ARE APPROXIMATE
 OVERALL HEIGHT = 112"
 OVERALL WIDTH WITH RUB
 RAILS & FENDERETTES = 98"
 LOAD HEIGHT = 33"

CAST PRODUCTS
 DOOR GRABBERS

LED LICENSE
 PLATE LIGHT

MUD FLAPS

COT PROTECTOR
 ON STEP EDGE

(1) WHELEN 900 AMBER SUPER LED

(2) WHELEN 900 CLEAR HALOGEN LOAD LIGHTS

(2) WHELEN 900
 RED SUPER LED

ONE (1) EACH SIDE
 WHELEN
 600 LED BRAKE/TAIL,
 600 LED TURN
 600 HALOGEN BACK-UP

INDEPENDENT BUMPER WITH
 FLIP-UP CENTER STEP AND
 TOW HOOKS

THIS DRAWING IS FOR REPRESENTATIONAL PURPOSES ONLY. DETAILS ARE CONCEPTUAL AND ARE SUBJECT TO CHANGE DURING DESIGN AND CONSTRUCTION
 DIMENSIONS ARE APPROXIMATE UNLESS NOTED OTHERWISE TO MEET A SPECIFIC CUSTOMER NEED.




2012 REAR EXTERIOR VIEW
 SUPER CHIEF-1/4300LP CHASSIS

1:18

DATE:	07 JULY 11	
DWG.	GLF	REV. NR

DRAWING NO.	SC4300-2
-------------	----------

DIMENSIONS FOR OVERALL HEIGHT AND LENGTH ARE APPROXIMATE
 OVERALL HEIGHT = 112"
 OVERALL LENGTH = 291.5"
 MODULE LENGTH = 170"



COMPARTMENT

O.S.S #1

CLEAR OPENING: 75.50h x 17.75w
 INSIDE DIM'S.: 76.50h x 21.75w x 21.75d

O.S.S #2

CLEAR OPENING: 41.25h x 38.25w
 INSIDE DIM'S.: 44.50h x 43.75w x 21.75d
 ONE (1) ADJUSTABLE SHELF

O.S.S #3

CLEAR OPENING: 63.50h x 29.50w
 INSIDE DIM'S.: 65.25h x 32.75w x 21.75d
 INSIDE/OUTSIDE ACCESS
 ONE (1) ADJUSTABLE SHELF


THIS DRAWING IS FOR REPRESENTATIONAL PURPOSES ONLY. DETAILS ARE CONCEPTUAL AND ARE SUBJECT TO CHANGE DURING DESIGN AND CONSTRUCTION
 DIMENSIONS ARE APPROXIMATE UNLESS NOTED OTHERWISE TO MEET A SPECIFIC CUSTOMER NEED.



2012 STREETSIDE EXTERIOR VIEW
 SUPER CHIEF-I/4300LP CHASSIS

1:30	DATE:	07 JULY 11		DRAWING NO.
	DWG.	GLF	REV	NR
				SC4300-3

DIMENSIONS FOR OVERALL HEIGHT AND LENGTH ARE APPROXIMATE
 OVERALL HEIGHT = 112"
 OVERALL LENGTH = 291.5"
 MODULE LENGTH = 170"



COMPARTMENT
 O.S.S #4

CLEAR OPENING: 75.50h x 25.25w
 INSIDE DIM'S. 4A: 76.50h x 16.00w x 21.75d
 BACKBOARD/SCOOP STORAGE

INSIDE DIM'S. 4B: 76.50h x 13.50w x 13.00d
 OXYGEN CYLINDER STORAGE

O.S.S #5

CLEAR OPENING: 66.50h x 21.25w
 INSIDE DIM'S. 5A: 49.50h x 25.50w x 28.50d
 INSIDE/OUTSIDE STORAGE WITH TWO (2) ADJUSTABLE SHELVES


INSIDE DIM'S. 5B: 16.25h x 20.50w x 19.00d

THIS DRAWING IS FOR REPRESENTATIONAL PURPOSES ONLY. DETAILS ARE CONCEPTUAL AND ARE SUBJECT TO CHANGE DURING DESIGN AND CONSTRUCTION
 DIMENSIONS ARE APPROXIMATE UNLESS NOTED OTHERWISE TO MEET A SPECIFIC CUSTOMER NEED.



2012 CURBSIDE EXTERIOR VIEW
 SUPER CHIEF-I/4300LP CHASSIS

1:30	DATE:	07 JULY 11		DRAWING NO.
	DWG.	GLF	REV.	
				SC4300-4



COMPARTMENT

- #1 DOOR OPENING: 14.25h x 42.25w
INSIDE DIMS: 16.00h x 44.00w x 19.50d
ONE (1) ADJUSTABLE SHELF
- #2 DOOR OPENING: 8.50h x 27.75w
INSIDE DIMS: 10.25h x 29.50w x 19.50d
- #3 DOOR OPENING: 15.75h x 14.50w
INSIDE DIMS: 19.00h x 16.25w x 19.50d
ONE (1) ADJUSTABLE SHELF

- #4 DOOR OPENING: 26.25h x 23.50w
INSIDE DIMS: O.S.S. #3
RECESSED .375" ACRYLIC DOORS WITH FULL LENGTH HANDLES
TWO (2) LOCKING LEVER LATCHES
- #5 DOOR OPENING: 12.00h x 24.00w
INSIDE DIMS: 13.75h x 28.25w x 18.50d
ONE (1) ADJUSTABLE SHELF


THIS DRAWING IS FOR REPRESENTATIONAL PURPOSES ONLY. DETAILS ARE CONCEPTUAL AND ARE SUBJECT TO CHANGE DURING DESIGN AND CONSTRUCTION DIMENSIONS ARE APPROXIMATE UNLESS NOTED OTHERWISE TO MEET A SPECIFIC CUSTOMER NEED.



2012 STREETSIDE INTERIOR VIEW
SUPER CHIEF-I

DATE:		DRAWING NO.	
07 JULY 11		SC4300-5	
DWG.	REV.		
GLF	NR		

1:22



COMPARTMENT


- #1 DOOR OPENING: 48.00h x 7.25w
- INSIDE DIMS: 50.00h x 13.25w x 7.50d
- RECESSED .375" ACRYLIC DOOR
- ONE (1) LOCKING LEVER LATCH
- FOUR (4) ADJUSTABLE SHELVES
- #2 INSIDE DIM'S: 14.25h x 72.75w x 21.00d

THIS DRAWING IS FOR REPRESENTATIONAL PURPOSES ONLY. DETAILS ARE CONCEPTUAL AND ARE SUBJECT TO CHANGE DURING DESIGN AND CONSTRUCTION DIMENSIONS ARE APPROXIMATE UNLESS NOTED OTHERWISE TO MEET A SPECIFIC CUSTOMER NEED.



2012 CURBSIDE INTERIOR VIEW
SUPER CHIEF-I

DATE:	07 JULY 11		DRAWING NO.
DWG.	GLF	REV.	NR
1:20			SC4300-6



COMPARTMENT

- #1 DOOR OPENING: 46.00h x 26.25w
- INSIDE DIMS: 50.00h x 30.25w x 28.00d
- RECESSED .375" ACRYLIC DOORS WITH FULL LENGTH HANDLES
- TWO (2) LOCKING LEVER LATCHES
- TWO (2) ADJUSTABLE SHELVES

THIS DRAWING IS FOR REPRESENTATIONAL PURPOSES ONLY. DETAILS ARE CONCEPTUAL AND ARE SUBJECT TO CHANGE DURING DESIGN AND CONSTRUCTION
 DIMENSIONS ARE APPROXIMATE UNLESS NOTED OTHERWISE TO MEET A SPECIFIC CUSTOMER NEED.




2012 PARTITION INTERIOR VIEW
 SUPER CHIEF-I

DATE:		DRAWING NO.	
07 JULY 11		SC4300-7	
DWG.	REV.		
GLF	NR		

1:14

OXYGEN ACCESS

RECESSED SHARPS/
TRASH



STAINLESS STEEL

STAINLESS STEEL

RED/WHITE REFLECTIVE STRIP
ON INSIDE OF EACH DOOR

THIS DRAWING IS FOR REPRESENTATIONAL PURPOSES ONLY. DETAILS ARE CONCEPTUAL AND ARE SUBJECT TO CHANGE DURING DESIGN AND CONSTRUCTION DIMENSIONS ARE APPROXIMATE UNLESS NOTED OTHERWISE TO MEET A SPECIFIC CUSTOMER NEED.




2012 REAR INTERIOR VIEW
SUPER CHIEF-1

1:14

DATE:	07 JULY 11
DWG.	GLF
REV.	NR

DRAWING NO.
SC4300-8



* TWO (2) ANTENNA BASES LOCATED OUTBOARD OF DOME LIGHTS WITH COAX SERVICE LOOP

STRYKER CENTER MOUNT COT HARDWARE

MODULE WIDTH = 96"

MODULE LENGTH = 170"

MODULE HEAD ROOM = 73.5"

THIS DRAWING IS FOR REPRESENTATIONAL PURPOSES ONLY. DETAILS ARE CONCEPTUAL AND ARE SUBJECT TO CHANGE DURING DESIGN AND CONSTRUCTION DIMENSIONS ARE APPROXIMATE UNLESS NOTED OTHERWISE TO MEET A SPECIFIC CUSTOMER NEED.




2012 FLOOR INTERIOR VIEW
SUPER CHIEF-I

1:23

DATE: 07 JULY 11	
DWG. GLF	REV. NR

DRAWING NO.
SC4300-9

DIMENSIONS FOR OVERALL HEIGHT AND LENGTH ARE APPROXIMATE
 OVERALL HEIGHT = 112"
 OVERALL LENGTH = 317.5"
 MODULE LENGTH = 170"



COMPARTMENT

O.S.S #1

CLEAR OPENING: 75.50h x 17.75w
 INSIDE DIM'S.: 76.50h x 21.75w x 21.75d

O.S.S #2

CLEAR OPENING: 41.25h x 38.25w
 INSIDE DIM'S.: 44.50h x 43.75w x 21.75d
 ONE (1) ADJUSTABLE SHELF

O.S.S #3

CLEAR OPENING: 63.50h x 29.50w
 INSIDE DIM'S.: 65.25h x 32.75w x 21.75d
 INSIDE/OUTSIDE ACCESS
 ONE (1) ADJUSTABLE SHELF

THIS DRAWING IS FOR REPRESENTATIONAL PURPOSES ONLY. DETAILS ARE CONCEPTUAL AND ARE SUBJECT TO CHANGE DURING DESIGN AND CONSTRUCTION
 DIMENSIONS ARE APPROXIMATE UNLESS NOTED OTHERWISE TO MEET A SPECIFIC CUSTOMER NEED.



2012 STREETSIDE EXTERIOR VIEW
 SUPER CHIEF-I/4300LP EXTENDED CAB


1:30

DATE:	07 JULY 11	
DWG.	GLF	REV
		NR

DRAWING NO.
 SC4300
 EXTENDED-3

DIMENSIONS FOR OVERALL HEIGHT AND LENGTH ARE APPROXIMATE

OVERALL HEIGHT = 112"
 OVERALL LENGTH = 317.5"
 MODULE LENGTH = 170"



COMPARTMENT

O.S.S #4

CLEAR OPENING: 75.50h x 25.25w
 INSIDE DIM'S. 4A: 76.50h x 16.00w x 21.75d
 BACKBOARD/SCOOP STORAGE

INSIDE DIM'S. 4B: 76.50h x 13.50w x 13.00d
 OXYGEN CYLINDER STORAGE

O.S.S #5

CLEAR OPENING: 66.50h x 21.25w
 INSIDE DIM'S. 5A: 49.50h x 25.50w x 28.50d
 INSIDE/OUTSIDE STORAGE WITH TWO (2) ADJUSTABLE SHELVES

INSIDE DIM'S. 5B: 16.25h x 20.50w x 19.00d

THIS DRAWING IS FOR REPRESENTATIONAL PURPOSES ONLY. DETAILS ARE CONCEPTUAL AND ARE SUBJECT TO CHANGE DURING DESIGN AND CONSTRUCTION
 DIMENSIONS ARE APPROXIMATE UNLESS NOTED OTHERWISE TO MEET A SPECIFIC CUSTOMER NEED.



2012 CURBSIDE EXTERIOR VIEW
 SUPER CHIEF-I/4300LP EXTENDED CAB

1:30

DATE:	07 JULY 11	
DWG.	GLF	REV.
		NR

DRAWING NO.	SC4300
	EXTENDED-4